

# oconnor

CAMERA SUPPORT

2008



# ULTIMATE 1030HD FLUID HEAD

WEIGHT CAPACITY: 30 lbs (13.6 kg)

# ULTIMATE 1030HDS FLUID HEAD

WEIGHT CAPACITY: 40 lbs (18.1 kg)



	1030HD	1030HDS
Capacity @ 6 in.	30 lb. (13.6 kg)	41 lb. (18.6 kg)
Bases	100mm, Flat, Mitchell, 150mm, Sachtler/Vinten	
Tilt	+90° / -90°	+60° / -60°
Weight	8.2 lb. (3.7 kg)	8.2 lb. (3.7 kg)
Counterbalance	Sinusoidal	
Pan & Tilt Drag	Stepless	

# ULTIMATE 2060HD FLUID HEAD

WEIGHT CAPACITY: 65 lbs (29.5 kg)



## 2060HD

Capacity @ 6 in.	65 lb. (29.5 kg)
Bases	Mitchell, 150mm, Sachtler/Vinten
Tilt	+90° / -90°
Weight	16 lb. (7.3 kg)
Counterbalance	Sinusoidal
Pan & Tilt Drag	Stepless

# ULTIMATE 2575C FLUID HEAD

WEIGHT CAPACITY: 90 lbs (40.8 kg)



2575C

Capacity @ 8 in.	87 lb. (39.5 kg)
Bases	Mitchell, 150mm, Sachtler/Vinten
Tilt	+90° / -90°
Weight	22.9 lb. (10.4 kg)
Counterbalance	Sinusoidal
Pan & Tilt Drag	Stepless

# 120EX FLUID HEAD

WEIGHT CAPACITY: 120 LBS (54.0 kg)

240 LBS (108 kg) IN **EXTENDED MODE**



## 120EX

<b>Capacity</b>	@ 8 in. ± 90°	120 lbs. (54 kg)
	@ 8 in. ± 80°	147 lbs. (67 kg)
	@ 8 in. ± 70°	188 lbs. (85 kg)
	@ 8 in. ± 60°	240 lbs. (109 kg)
<b>Bases</b>	Mitchell	
<b>Weight</b>	34.1 lbs. (15.5 kg)	
<b>Counterbalance</b>	Sinusoidal	
<b>Pan &amp; Tilt Drag</b>	Stepless	



# TRIPODS AND CASES



### CINE HD ALUMINUM

Capacity = 309 lbs. (140 kg)  
Max Height = 69.2 in. (175.8 cm)  
Min Height = 33.6 in (85.3 cm)

### CINE HD BABY

Capacity = 309 lbs. (140 kg)  
Max Height = 34.6 in. (87.9 cm)  
Min Height = 4 in (10.2 cm)



### 35L CARBON FIBER QUICK DEPLOYMENT TRIPOD

Capacity = 60 lbs. (27.2kg)  
Max Height = 62 in. (157.5 cm)  
Min Height = 26 in. (66 cm)



### 25L CARBON FIBER TWO STAGE TRIPOD

Capacity = 60 lbs. (27.2kg)  
Max Height = 66 in. (167.6 cm)  
Min Height = 14.75 in. (37.5 cm)



### HARD & SOFT CASES

# oconnor

## CAMERA SUPPORT 2008

<http://www.ocon.com>



Prices and specifications are subject to change without notice.